

Quad-Cure[®] Summer


1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	• Quad-Cure [®] Summer
Trade Name	• Quad-Cure [®] SS
Company	• Quadex LLC, 564 W. 9320 S., Sandy, UT 84070
Company Contact	• Matthew Peterson
Company Phone	• 844-782-4832
Emergency	• Domestic Shipments and to Canada: 1-800-633-8253 • International Shipments: 1-801-629-0667

2. HAZARDS IDENTIFICATION

Hazard Statements	• Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)	
	<i>H302</i>	• Acute Tox. 4 • Harmful if swallowed.
	<i>H315</i>	• Skin Irrit. 2 • Causes skin irritation.
	<i>H317</i>	• Skin Sens. 1B • May cause an allergic skin reaction.
	<i>H319</i>	• Eye Irrit. 2 • Causes serious eye irritation.
	<i>H332</i>	• Acute Tox. 4 • Harmful if inhaled.
	<i>H334</i>	• Resp. Sens. 1 • May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	<i>H335</i>	• STOT SE 3 • May cause respiratory irritation.
	<i>H351</i>	• Carc. 2 • Suspected of causing cancer.
	<i>H373</i>	• STOT RE 2 • May cause damage to organs through prolonged or repeated exposure: respiratory system, inhalation.
	<i>H412</i>	• Aquatic Chronic 3 • Harmful to aquatic life with long-lasting effects.
Precautionary statements		
	<i>P260</i>	• Do not breathe dust/fume/gas/mist/vapors/spray.
	<i>P280</i>	• Wear protective gloves/protective clothing/eye protection/face protection.
	<i>P284</i>	• Wear respiratory protection.
	<i>P302+P352</i>	• IF ON SKIN: Wash with plenty of soap and water.
	<i>P304+P340</i>	• IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	<i>P305+P351+P338</i>	• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
	<i>P308+P313</i>	• If exposed: Call a POISON CENTER or doctor/physician.

2. HAZARDS IDENTIFICATION (CONTINUED)

<i>Hazard determining component(s) for labelling</i>	<ul style="list-style-type: none"> Isocyanic acid, polymethylenepolyphenylene ester; Reaction products of phosphoryl trichloride and 2-methyloxirane
Other Hazards	<ul style="list-style-type: none"> The mixture does not meet persistent (P) and bioaccumulation (B) criteria, but it meets the criteria for toxicity (T). The mixture is not PBT or vPvB.
<i>Signal Word</i>	<ul style="list-style-type: none"> Danger
<i>Pictogram</i>	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	Cas No.	REACH Reg. No.	Content (%)	Content (%) Classification according to Regulation (EC) No 1272/2008 (CLP)	
					Hazard Categories ¹	H-phrases(s) ¹
<i>Isocyanic acid, polymethylene-polyphenylene ester (Polymeric MDI)²</i>	(polymer)	9016-87-9	(polymer)	> 60	Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1B Carc. 2 STOT SE 3 STOT RE 2	H332 H315 H319 H334 H317 H351 H335 H373
<i>Reaction products of phosphoryl trichloride and 2-methyloxirane</i>	807-935-0	1 244733-77-4	01-2119486772-26	> 10	Acute Tox. 4 Aquatic Chronic 3	H302 H412
<i>Hexamethylene-1,6-diisocyanate homopolymer</i>	500-060-2	28182-81-2	01-2119488934-20	≤ 2	Acute Tox. 4 Skin Sens. 1 STOT SE 3	H332 H317 H335

¹ See Section 16 for the full text of the abbreviations declared above.

² Contains < 32% 4,4'-MDI (4,4'-methylenediphenyl diisocyanate) (CAS: 101-68-8).

4. FIRST AID MEASURES

Description of first aid measures	
<i>General advice</i>	<ul style="list-style-type: none"> Soiled, fairly soaked clothing and shoes must be immediately removed.
<i>In case of inhalation</i>	<ul style="list-style-type: none"> If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.
<i>In case of skin contact</i>	<ul style="list-style-type: none"> In the event of contact with the skin, at first wipe off with a paper towel/textile, then wash alternately with polyethylene glycol (if available) and water, or with plenty of warm water and soap for several minutes. Consult a doctor in the event of a skin reaction. Wash the less contaminated clothing before reuse. Clean shoes thoroughly before reuse.
<i>In case of eye contact</i>	<ul style="list-style-type: none"> Hold the eyes open and rinse with water for a sufficiently long period of time (at least 10 minutes). Get medical attention immediately.
<i>In case of ingestion</i>	<ul style="list-style-type: none"> DO NOT induce the patient to vomit, medical advice is required. Never give anything by mouth to an unconscious person. Provided the patient is conscious, wash out mouth with water.
<i>Information to physician</i>	<ul style="list-style-type: none"> The product irritates the respiratory tract and may trigger sensitisation of the skin and respiratory tract. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Following severe exposure the patient should be kept under medical review for at least 48 hours.
Most important symptoms and effects, both acute and delayed	<ul style="list-style-type: none"> Headache, nausea, shortness of breath, sore throat, redness on the skin. Repeated or prolonged contact may cause skin sensitization. Repeated or prolonged inhalation exposure may cause asthma.
Indication of any immediate medical attention and special treatment needed	<ul style="list-style-type: none"> Depending on the degree of exposure, periodic medical examination is suggested.

5. FIRE FIGHTING MEASURES

Extinguishing media	
<i>Suitable extinguishing media</i>	<ul style="list-style-type: none"> Foam, CO₂ or dry powder. Water spray may be used if no other available and then in copious quantities.
<i>Unsuitable extinguishing media</i>	<ul style="list-style-type: none"> High volume water jet.
Special hazards arising from the substance or mixture	<ul style="list-style-type: none"> Carbon dioxide, carbon monoxide, hydrogen cyanide, nitrogen oxides, isocyanate vapors. The substances/groups of substances mentioned can be released in case of fire.
Advice for firefighters	<ul style="list-style-type: none"> Reaction between water and hot isocyanate may be vigorous (strongly exothermic). Prevent washings from entering watercourses. Keep fire-exposed containers cool by spraying with water.
<i>Special protective equipment</i>	<ul style="list-style-type: none"> Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Safety boots, gloves, safety helmet and protective clothing should be worn.

5. FIRE FIGHTING MEASURES (CONTINUED)

<i>Further information</i>	<ul style="list-style-type: none"> In the event of fire and/or explosion do not breathe fumes. Fire in vicinity poses risk of pressure build-up and rupture. Containers at risk from fire should be cooled with water and, if possible, removed from the danger area. Due to reaction with water producing CO₂ gas, a hazardous build-up of pressure could result if contaminated containers are re-sealed. Containers may burst if overheated. Do not allow contaminated extinguishing water to enter the soil, groundwater or surface waters.
----------------------------	---

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul style="list-style-type: none"> Immediately contact emergency personnel. Evacuate the area. Keep upwind to avoid inhalation of vapors. Clean-up should only be performed by trained personnel. Keep unauthorized persons away.
<i>For non-emergency personnel</i>	<ul style="list-style-type: none"> Remove not affected people. Inform the relevant emergency services and authorities.
<i>For emergency responders</i>	<ul style="list-style-type: none"> People dealing with major spillages should wear full protective clothing including respiratory protection. Use suitable protective equipment.
Environmental precautions	<ul style="list-style-type: none"> Do not allow contaminated extinguishing water to enter the soil, groundwater or surface waters. Avoid dispersal of spilt material and runoff and contact with drains and sewers.
Methods and material for containment and cleaning up	<ul style="list-style-type: none"> Absorb spillages onto sand, earth or any suitable adsorbent material. Leave to react for at least 30 minutes. Do not absorb onto sawdust or other combustible materials. Contaminated adsorbent material shall be disposed according to Section 13. Wash the spillage area with water.
Reference to other sections	<ul style="list-style-type: none"> Information regarding exposure controls/personal protection and disposal considerations can be found in Section 8 and 13.

7. HANDLING AND STORAGE

Precautions for safe handling	
<i>Protective measures</i>	<ul style="list-style-type: none"> Provide sufficient air exchange and/or exhaust in work rooms. In all workplaces of the plant where high concentrations of isocyanate aerosols and/or vapours may be generated (e.g. during pressure release, mold venting or when cleaning mixing heads with an air blast), appropriately located exhaust ventilation must be provided in order to prevent occupational exposure limits from being exceeded. The air should be drawn away from the personnel handling the product. The efficiency of the ventilation system must be monitored regularly because of the possibility of blockage. Atmospheric concentrations should be minimised and kept as low as reasonably practicable below the occupational exposure limit.
<i>Advice on general occupational hygiene</i>	<ul style="list-style-type: none"> No eating, drinking, smoking or tobacco use at the place of work. Contact with skin and eyes and inhalation of vapors must be avoided under all circumstances. Keep equipment clean. A basic essential in sampling, handling and storage is the prevention of contact with water. Keep stocks of decontaminant readily available.

7. HANDLING AND STORAGE (CONTINUED)

Conditions for safe storage, including any incompatibilities	<ul style="list-style-type: none"> Store and transport in separate, airtight vessels, between +10 °C and +25 °C. The containers and vessels shall be protected from direct sunshine and other weather impacts. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate container to avoid environmental contamination.
Specific end use(s)	<ul style="list-style-type: none"> For the relevant identified use(s) listed in Section 1 the advice mentioned in this section is to be observed.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Control parameters	
<i>Occupational exposure limits in air</i>	<ul style="list-style-type: none"> A workplace exposure limit (WEL) of 0.02 mg/m³ for total isocyanates (as NCO) as an 8-hour TWA, and a short term WEL (15 min) of 0.07 mg/m³ have been assigned in the United Kingdom. A BMGV for isocyanates, based on the measurement of urinary diamines, has been set at 1 µmol diamine/mol creatinine.
<i>DNEL/PNEC values</i>	<ul style="list-style-type: none"> The risk characterization of PMDI (CAS: 9016-87-9) is the following: Workers: Acute/short-term exposure – systemic effects (dermal): DNEL = 50 mg/kg bw/day Acute/short-term exposure – systemic effects (inhalation): DNEL = 0.1 mg/m³ Acute/short-term exposure – local effects (dermal): DNEL = 28.7 mg/cm² Acute/short-term exposure – local effects (inhalation): DNEL = 0.1 mg/m³ Long-term exposure – systemic effects (inhalation): DNEL = 0.05 mg/m³ Long-term exposure – systemic effects (dermal): Not applicable. Long-term exposure – local effects (inhalation): DNEL = 0.05 mg/m³ Long-term exposure – local effects (dermal): Not applicable. PNEC sediment: As PMDI is a reactant with water, access of water to PMDI and vice versa is strictly controlled. Furthermore, PMDI polymerizes in the presence of water and thus exposure of PMDI to sediment is highly likely to be negligible. Therefore, PNEC sediment cannot be derived for PMDI. PNEC soil: 1 mg/kg soil dw PNEC oral: There are no data on effects of oral PMDI to birds. Exposure to birds is not expected and data from experimental animals show PMDI to be of low oral toxicity.
Exposure controls	
<i>Respiratory protection</i>	<ul style="list-style-type: none"> Respiratory protection in case of vapor/aerosol release. Combination filter for organic, inorganic, acid inorganic, and basic gases/vapors (e.g. EN 14387 Type ABEK) shall be used.
<i>Hand protection</i>	<ul style="list-style-type: none"> Chemical resistant protective gloves (EN 374) Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): butyl rubber (butyl) – 0.7 mm coating thickness nitrile rubber (NBR) – 0.4 mm coating thickness chloroprene rubber (CR) – 0.5 mm coating thickness Unsuitable materials: polyvinyl chloride (PVC) – 0.7 mm coating thickness polyethylene (PE) laminate – ca. 0.1 mm coating thickness
<i>Eye protection</i>	<ul style="list-style-type: none"> Safety glasses with side shields (frame goggles) (e.g. EN 166).

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION (CONTINUED)

<i>Body protection</i>	<ul style="list-style-type: none"> Safety shoes (e.g. according to EN 20346) and closed workwear.
<i>General safety and hygiene measures</i>	<ul style="list-style-type: none"> Do not breathe vapor/spray. With products freshly manufactured from isocyanates body protection and chemical resistant protective gloves is recommended. Wearing of closed workwear is required additionally to the personal protective equipment. No eating, drinking, smoking or tobacco use at the place of work. Take off immediately all contaminated clothing. Hands and/or face should be washed before breaks and at the end of the shift. After work the skin should be cleaned and skin-care agents applied.

9. PHYSICAL & CHEMICAL PROPERTIES

Information on basic physical and chemical properties	
<i>Appearance</i>	<ul style="list-style-type: none"> liquid, dark-brown
<i>Odor</i>	<ul style="list-style-type: none"> damp
<i>Odor threshold</i>	<ul style="list-style-type: none"> not known
<i>pH-value</i>	<ul style="list-style-type: none"> not applicable (reacts with water)
<i>Melting point/freezing point</i>	<ul style="list-style-type: none"> not defined (mixture)
<i>Boiling range</i>	<ul style="list-style-type: none"> > 200 °C
<i>Flash point</i>	<ul style="list-style-type: none"> > 200 °C (MDI)
<i>Evaporation rate</i>	<ul style="list-style-type: none"> not defined (mixture)
<i>Flammability (solid, gaseous)</i>	<ul style="list-style-type: none"> not applicable (liquid)
<i>Ignitable, explosive range</i>	<ul style="list-style-type: none"> not defined (mixture)
<i>Vapor pressure</i>	<ul style="list-style-type: none"> < 0.00001 mbar (at 20 °C)
<i>Vapor density</i>	<ul style="list-style-type: none"> not defined (mixture)
<i>Density</i>	<ul style="list-style-type: none"> 1.24 ± 0.02 g/cm³ (at 25 °C)
<i>Solubility</i>	<ul style="list-style-type: none"> reacts with water with slow CO₂ appearance at the border area into non-soluble, high melting point or not melting polyurea
<i>Partition coefficient n-octanol/water</i>	<ul style="list-style-type: none"> not applicable (mixture)
<i>Self-ignition temperature</i>	<ul style="list-style-type: none"> 4,4'-MDI does not ignite till 601 °C
<i>Decomposition temperature</i>	<ul style="list-style-type: none"> not applicable (mixture)
<i>Viscosity</i>	<ul style="list-style-type: none"> 180–240 mPas (at 25 °C)
<i>Explosive properties</i>	<ul style="list-style-type: none"> non-explosive
<i>Oxidizing properties</i>	<ul style="list-style-type: none"> non-oxidizing
Other information	<ul style="list-style-type: none"> No data

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Reactivity	<ul style="list-style-type: none"> Reacts with water, acids, alcohols, amines, bases, and oxidants
Chemical stability	<ul style="list-style-type: none"> The main removal mechanism of MDIs in the environment is hydrolysis. MDI reacts quickly with water to form predominantly solid, insoluble polyureas. Under conditions typical of many types of environmental contact, i.e. with relatively poor dispersion of the isocyanate, the interfacial reaction leads to the formation of a solid crust encasing partially reacted product. This crust restricts ingress of water and egress of amine, and hence slows and modifies hydrolysis.
<i>Stability in organic solvents</i>	<ul style="list-style-type: none"> All MDI isomers and forms are highly unstable in dimethyl sulphoxide (DMSO) solvent, water content of the DMSO is increasing breakdown. MDI is more stable in EGDE (ethylene glycol dimethyl ether) solvent. (Read-across based on 4,4'-methylenediphenyl diisocyanate – CAS 101-68-8.)
Possibility of hazardous reactions	<ul style="list-style-type: none"> Reaction is slow with cold or warm water (<50 °C), with hot water or steam the reaction is faster, producing carbon-dioxide causing pressure increase. Acids, alcohols, amines, bases, and oxidants may cause fire and explosion hazard.
Conditions to avoid	<ul style="list-style-type: none"> High temperature, moisture, strong light.
Incompatible materials	<ul style="list-style-type: none"> Substances to avoid: water, acids, alkalis, alcohols, amines.
Hazardous decomposition products	<ul style="list-style-type: none"> No hazardous decomposition products if stored and handled as prescribed/indicated.

11. TOXICOLOGICAL INFORMATION

The mixture has not been tested. Information is related to 4,4'-Methylenediphenyl diisocyanate if no other is mentioned.

Information on hazard classes as defined in Regulation (EC) No 1272/2008	
<i>Acute toxicity – Oral</i>	<ul style="list-style-type: none"> Harmful Rats LD₅₀ > 2000 mg/kg Method: 84/449/EEC (Read-across based on methylenediphenyl diisocyanate, isomer mixture CAS 26447-40-5) Rats (female) LD₅₀ = 632 mg/kg Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)
<i>Acute toxicity – Inhalation (Aerosol)</i>	<ul style="list-style-type: none"> Harmful Rats LD₅₀ = 0.49 mg/l air (4 h) OECD Guideline 403 Rats LD₅₀ > 7 mg/l air (4 h), dusts/mists OECD 403 Acute Inhalation Toxicity/433 Acute Inhalation Toxicity: Fixed Concentration Procedure Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)

11. TOXICOLOGICAL INFORMATION (CONTINUED)

<i>Acute toxicity – Dermal</i>	<ul style="list-style-type: none"> • Not classified. Based on available data, the classification criteria are not met. • Rabbit LD₅₀ 9400 mg/kg bw (24 h) OECD Guideline 402 • Rabbit LD₅₀ > 2000 mg/kg Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)
<i>Irritation/Corrosion</i>	<ul style="list-style-type: none"> • Summarized the results of the studies together with human occupational case reports support the official classification. • Skin corrosion/Skin irritation: Irritating Irritating in rabbits. (4 h/14 days) OECD Guideline 404 • Eye damage/Irritation: Irritating in rabbits. (24 h/21 days) OECD Guideline 404 • (Read-across based on methylenediphenyl diisocyanate, isomer mixture – CAS 26447-40-5.) • Summarized the available animal data would not support classification of MDI as an eye irritant. But together with human occupational case reports in which symptoms of eye irritation were reported the legal classification as eye irritant should be applied.
<i>Sensitization</i>	<ul style="list-style-type: none"> • Animal data as well as studies in humans provide evidence of possible skin sensitization, and of respiratory sensitization due to MDI. Animal studies indicate that MDI is a strong allergen. Human case reports describe the occurrence of allergic contact dermatitis due to MDI exposure. • Skin sensitization: Mice Sensitizing OECD Guideline 429 (LLNA) • Respiratory sensitization: Rats (male) Sensitizing OECD Guideline 39
<i>Germ cell mutagenicity</i>	<ul style="list-style-type: none"> • Not classified. Based on available data, the classification criteria are not met.
<i>Carcinogenicity</i>	<ul style="list-style-type: none"> • Carc. 2 • Rats (inhalation, aerosol): NOAEC = 0.2 mg/m³ air (toxicity) (2 years; 6 h/day, 5 days/week) NOAEC = 1 mg/m³ air (carcinogenicity) (2 years; 6 h/day, 5 days/wk) LOAEC = 6 mg/m³ air (carcinogenicity) (2 years; 6 h/day, 5 days/wk) OECD Guideline 453
<i>Reproductive toxicity</i>	<ul style="list-style-type: none"> • Not classified. Based on available data, the classification criteria are not met • Effects on fertility: No fertility, nor multigeneration studies are available. • Rats (inhalation): NOAEL = 4 mg/m³ air (developmental toxicity) (10 days; 1/day, 6 h) NOAEL = 4 mg/m³ air (maternal toxicity) (10 days; 1/day, 6 h) OECD Guideline 414
<i>STOT – single exposure</i>	MDI is irritant to the respiratory tract.

11. TOXICOLOGICAL INFORMATION (CONTINUED)

<i>STOT - repeated exposure</i>	<ul style="list-style-type: none"> Harmful Rats (inhalation, aerosol): NOAEC = 0.2 mg/m³ air (2 years; 6 h/day, 5 days/week) LOAEC = 1.0 mg/m³ air (2 years; 6 h/day, 5 days/week) Target organs: respiratory - lung OECD Guideline 453
<i>Aspiration hazard</i>	<ul style="list-style-type: none"> Not classified due to lack of data.
<i>Toxicokinetics</i>	<ul style="list-style-type: none"> No data.
<i>Genetic toxicity</i>	<ul style="list-style-type: none"> No data.
Information on other hazards	<ul style="list-style-type: none"> No data available.

12. ECOLOGICAL INFORMATION

The mixture has not been tested. Information is related to 4,4'-methylenediphenyl diisocyanate if no other is mentioned.

Toxicity: Aquatic	
<i>Short-term toxicity to fish</i>	<ul style="list-style-type: none"> Freshwater fish (Danio rerio): LC₅₀ > 1000 mg/l (96 h) OECD Guideline 203 Danio rerio (zebrafish): LC₅₀ = 56.2 mg/l (96 h) Pimephales promelas (fathead minnow): LC₅₀ = 51 mg/l (96 h) Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)
<i>Long-term toxicity to fish</i>	<ul style="list-style-type: none"> Data waiving. In accordance with column 2 of REACH Annex IX the long-term toxicity testing on fish shall be proposed if the chemical safety assessment according to Annex I indicates the need to investigate further the effects on aquatic organisms. The corresponding PEC/PNEC ratios would be less than 1. Taking into account the scientific and exposure arguments, it appears appropriate to waive the long-term fish/plant/soil and sediment toxicity studies.
<i>Short-term toxicity to aquatic invertebrates</i>	<ul style="list-style-type: none"> Freshwater invertebrates (Daphnia magna): EC₅₀ > 1000 mg/l (24 h) OECD Guideline 202 Daphnia magna EC₅₀ = 131 mg/l (48 h) Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)
<i>Long-term toxicity to aquatic invertebrates</i>	<ul style="list-style-type: none"> Daphnia magna NOEC >= 10 mg/l (21 days) OECD Guideline 211 Daphnia magna NOEC = 32 mg/l (21 days) Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)

12. ECOLOGICAL INFORMATION (CONTINUED)

<i>Toxicity to aquatic algae and cyanobacteria</i>	<ul style="list-style-type: none"> Freshwater algae (<i>Desmodesmus subspicatus</i>) EC₅₀ > 1640 mg/l (72 h) OECD Guideline 201 Freshwater algae (<i>Pseudokirchneriella subcapitata</i>) EC₅₀ = 82 mg/l (72 h) NOEC = 13 mg/l (72 h) Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)
<i>Toxicity to aquatic plants other than algae</i>	<ul style="list-style-type: none"> Data waiving. Not required by REACH annexes. However, a mesocosm study with PMDI exists in which the toxicity towards macrophytes (<i>Potamogeton crispus</i> and <i>Zannichellia palustris</i>) was assessed. No toxicity was observed at a loading of 1000 and 10000 mg/l, approximately 100% of the substance was found in the sediment as hardened material.
<i>Toxicity to microorganisms</i>	<ul style="list-style-type: none"> Microorganisms (activated sludge) EC₅₀ > 100 mg/l (3 h) OECD Guideline 209 Activated sludge EC₅₀ = 784 mg/l (3 h): EC₁₀ = 191 mg/l (3 h) Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS 1244733-77-4)
<i>Toxicity to other aquatic organisms</i>	<ul style="list-style-type: none"> This information is not available, but not required under REACH.
<i>Sediment toxicity</i>	<ul style="list-style-type: none"> Data waiving. Annex X states that this study need not be conducted if the chemical safety assessment does not indicate a need to further investigate the effects on sediment organisms.
<i>Terrestrial toxicity</i>	<ul style="list-style-type: none"> Toxicity to soil macroorganisms except arthropods: <i>Eisenia fetida</i> LC₅₀ > 1000 mg/kg soil dw (14 days) OECD Guideline 207
<i>Toxicity to terrestrial arthropods</i>	<ul style="list-style-type: none"> Data waiving. Based on the chemical safety assessment and the risk assessment, there is no need to further investigate the terrestrial arthropods toxicity as there is no risk for the terrestrial environment as indicated by the PEC/PNEC ratio being < 0.239. Direct/indirect exposure to soil is unlikely.
<i>Toxicity to terrestrial plants</i>	<ul style="list-style-type: none"> <i>Avena sativa</i> EC₅₀ > 1000 mg/kg soil dw (14 days) <i>Lactuca sativa</i> EC₅₀ > 1000 mg/kg soil dw (14 days) OECD Guideline 208
<i>Toxicity to soil microorganisms</i>	<ul style="list-style-type: none"> Data waiving. Annex X states that this study need not be conducted if the chemical safety assessment does not indicate a need to further investigate the effects on sediment organisms.
<i>Toxicity to other above-ground organisms</i>	<ul style="list-style-type: none"> Data waiving. Not required by REACH annexes.
<i>Conclusion on classification</i>	<ul style="list-style-type: none"> Hazardous to the aquatic environment (acute): Based on available data, the classification criteria are not met. (EC/LC₅₀ for fish, invertebrates and algae > 1000 mg/l) Hazardous to the aquatic environment (chronic): Based on available data, the classification criteria are not met. (NOEC for algae > 1640 mg/L; NOEC for invertebrates > 10 mg/l)

12. ECOLOGICAL INFORMATION (CONTINUED)

Persistence and degradability	
<i>Phototransformation in air</i>	<ul style="list-style-type: none"> Half-life (DT₅₀): 0.92 days
<i>Hydrolysis</i>	<ul style="list-style-type: none"> MDI reacts with water to form predominantly inert polyurea. Half-life (DT₅₀): ca. 20 h (at 25 °C) (Read-across based on oligomeric MDI – CAS 32055-14-4)
<i>Phototransformation in water and soil</i>	<ul style="list-style-type: none"> No data is available.
<i>Biodegradation in water</i>	<ul style="list-style-type: none"> Under test conditions no biodegradation was observed. (28 days) OECD Guideline 302C
<i>Biodegradation in water and sediment</i>	<ul style="list-style-type: none"> Data waiving. In accordance with Annex XI, simulation biodegradation tests are technically not feasible as the test substance reacts quickly with water. The corresponding PEC/PNEC ratios would be less than 1. Taking into account the scientific and exposure arguments, it appears appropriate to waive the long-term fish/plant/soil and sediment toxicity studies.
<i>Biodegradation in soil</i>	<ul style="list-style-type: none"> Data waiving. See at Biodegradation in water and sediment.
Bioaccumulative potential	
<i>Bioaccumulation-aquatic/sediment</i>	<ul style="list-style-type: none"> Due to the high reactivity of the substances of the MDI category with water, bioaccumulation tests can in principle not be performed with these substances. However, one bioaccumulation test with 4,4'-MDI and a mesocosm study with PMDI with an indication of bioaccumulation potential have been performed. As no analytical measurements were done, it cannot be determined if the values are truly related to MDI. However, based on the available information and the reactivity of MDI substances of the category approach, no new bioaccumulation study is deemed necessary. BCF (Cyprinus carpio): 200 (28 days) Method: OECD Guideline 305E
<i>Terrestrial bioaccumulation</i>	<ul style="list-style-type: none"> No data is available on terrestrial bioaccumulation, but it is not required under REACH.
Mobility in soil	
<i>Adsorption/desorption</i>	<ul style="list-style-type: none"> Data waiving. According to Annex VIII the study need not be done if the test substance degrades rapidly. The corresponding PEC/PNEC ratios would be less than 1. Taking into account the scientific and exposure arguments, it appears appropriate to waive the long-term fish/plant/soil and sediment toxicity studies.
<i>Volatilization</i>	<ul style="list-style-type: none"> The Henry's Law Constant, estimated from the measured vapor pressure and the calculated water solubility, is 2.263×10^{-7} atm·m³/mole. Hence, volatilization is unlikely to be a significant removal mechanism for MDI substances of the category approach.
Results of PBT and vPvB assessment	
<i>Conclusion for the P criterion</i>	<ul style="list-style-type: none"> The results from the biodegradation test indicate that PMDI is not biodegradable. Based on experimental hydrolysis and indirect photolysis half-lives, PMDI is not considered to be persistent in the environment and is identified as not P. Based on the justification in the category approach, it is assumed that all MDI analogues included in the category are not P.

12. ECOLOGICAL INFORMATION (CONTINUED)

<i>Conclusion for the B criterion</i>	<ul style="list-style-type: none"> Although MDI has a high measured log Pow value (4.51), a full bioaccumulation test with 4,4'-MDI indicated that the bioaccumulation potential is low. Due to the fast hydrolysis, exposure of the environment to the substance is unlikely or very low, there is no potential for significant bioaccumulation possible. Hence, 4,4'-MDI does not fulfil the requirements for the B criterion and is not identified as B. Based on the justification in the category approach, it is assumed that all MDI analogues included in the category are not B.
<i>Conclusion for the T criterion</i>	<ul style="list-style-type: none"> The concentrations tested were far above the water solubility of the MDI substances (7.5 mg/l). However, the water solubility limit of MDI is far above the criteria for T and on the basis of aquatic toxicity tests MDI is identified as not T. However, according to Annex I of 67/548/EEC MDI is classified as Xn, R48, which automatically triggers a T. Based on this classification MDI is identified as T.
Endocrine disrupting properties	<ul style="list-style-type: none"> No data is available.
Other adverse effects	<ul style="list-style-type: none"> It is not expected that substance has an effect on global warming, ozone depletion in the stratosphere or ozone formation in the troposphere.
<i>Secondary poisoning</i>	<ul style="list-style-type: none"> Based on the available information, there is no indication of a bioaccumulation potential and, hence, secondary poisoning is not considered relevant. Exposure to birds is not expected and data from experimental animals show MDI to be of low oral toxicity.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	<ul style="list-style-type: none"> The products becoming useless and the contaminated containers not suitable for product storage must be handled as hazardous waste in accordance with EU and regional hazardous waste regulations. European Waste Catalogue code: 08 05 01
<i>Product/Packaging disposal</i>	<ul style="list-style-type: none"> Contaminated packaging should be emptied as far as possible; than it can be passed on for recycling after being thoroughly cleaned. Wrappings cleaned from contamination with suitable cleaning process (e.g. by steaming, treating with washing fluid, etc.) must be considered as non-hazardous waste.
<i>Waste treatment options</i>	<ul style="list-style-type: none"> Incinerate in suitable incineration plant, observing local authority regulations.

14. TRANSPORT INFORMATION

Land transport (ADR/RID/GGVSE)

Sea transport (IMDG Code/GGVSee)

Air transport (ICAO-IATA/DGR)

<i>UN number or ID number</i>	• Not dangerous goods
<i>UN proper shipping name</i>	• Not dangerous goods
<i>Transport hazard class(es)</i>	• Not dangerous goods
<i>Packing group</i>	• Not dangerous goods
<i>Environmental hazards</i>	• Marine pollutant: no
<i>Special precautions for user</i>	• EmS number: Not dangerous goods
<i>Maritime transport in bulk according to IMO instruments</i>	• Not relevant

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture	<ul style="list-style-type: none"> • Information regarding relevant EU safety, health and environmental provisions • ISOPA, the European Diisocyanate & Polyol Producers Association has elaborated a Guideline document for the safe treatment of MDI containing products. The Guidelines have been built into this data sheet.
Chemical safety assessment	<ul style="list-style-type: none"> • In accordance with REACH chemical safety assessment (CSA) has not been carried out for the product. However, the results from the CSA for 4,4'-MDI were transposed into this SDS.

16. OTHER INFORMATION

The information given corresponds with our actual knowledge and experience. This information is meant to describe our product in view of possible safety requirements. Classification of the mixture is based on the classification of components.

Indication of changes	• This is the modified version of the first edition of the datasheet.
Abbreviations and acronyms	
<i>BCF</i>	Bioconcentration factor
<i>BMGV</i>	Biological monitoring guidance value
<i>bw</i>	bodyweight
<i>CAS No.</i>	Chemical Abstracts Service number
<i>CLP</i>	Regulation on classification, labelling and packaging
<i>DNEL</i>	Derived no effect level
<i>dw</i>	dry weight
<i>EC No.</i>	EINECS and ELINCS number
<i>EC₁₀</i>	Concentration at which 10% of the organisms tested exhibit a statistically significant effect of the chemical
<i>EC₅₀</i>	Half maximal effective concentration
<i>EEC</i>	European Economic Community

16. OTHER INFORMATION (CONTINUED)

<i>EINECS</i>	European Inventory of Existing Commercial Chemical Substances
<i>ELINCS</i>	European List of Notified Chemical Substances
<i>EU</i>	European Union
<i>LC₅₀</i>	Lethal concentration, 50%
<i>LD₅₀</i>	Median lethal dose
<i>LLNA</i>	Local lymph node assay
<i>LOAEC</i>	Lowest Observed Adverse Effect Concentration
<i>NOAEC</i>	No Observed Adverse Effect Concentration
<i>NOAEL</i>	No Observed Adverse Effect Level
<i>NOEC</i>	No Observed Effect Concentration
<i>OECD</i>	Organization for Economic Cooperation and Development
<i>PBT</i>	Persistent, Bioaccumulative and Toxic
<i>PEC</i>	Predicted Environmental Concentration
<i>PMDI</i>	Polymeric MDI (CAS: 9016-87-9)
<i>PNEC</i>	Predicted No Effect Concentration
<i>REACH</i>	The Registration, Evaluation, Authorization and Restriction of Chemicals
<i>SDS</i>	Safety Data Sheet
<i>TWA</i>	Time-weighted average
<i>vPvB</i>	Very Persistent and Very Bioaccumulative
<i>WEL</i>	Workplace exposure limit
Key literature references and sources for data	<ul style="list-style-type: none"> • Safety data sheets, received from the raw materials suppliers.
Full text of abbreviations	
H-Phrases	
<i>H302</i>	Harmful if swallowed.
<i>H315</i>	Causes skin irritation.
<i>H317</i>	May cause an allergic skin reaction.
<i>H319</i>	Causes serious eye irritation.
<i>H332</i>	Harmful if inhaled.
<i>H334</i>	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
<i>H335</i>	May cause respiratory irritation.
<i>H351</i>	Suspected of causing cancer.
<i>H373</i>	May cause damage to organs through prolonged or repeated exposure: respiratory system, inhalation.
<i>H412</i>	Harmful to aquatic life with long-lasting effects.
P-Phrases	
<i>P260</i>	Do not breathe dust/fume/gas/mist/vapors/spray.
<i>P280</i>	Wear protective gloves/protective clothing/eye protection/face protection.
<i>P284</i>	Wear respiratory protection.
<i>P302+P352</i>	IF ON SKIN: Wash with plenty of soap and water.

16. OTHER INFORMATION (CONTINUED)

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P308+P313	If exposed: Call a POISON CENTER or doctor/physician.
Hazard Classes	
<i>Acute Tox.</i>	Acute toxicity
<i>Aquatic Chronic</i>	Hazardous to the aquatic environment, chronic
<i>Carc.</i>	Carcinogenicity
<i>Eye Irrit.</i>	Serious eye irritation
<i>Resp. Sens.</i>	Respiratory sensitization
<i>Skin Irrit.</i>	Skin irritation
<i>Skin Sens.</i>	Skin sensitization
<i>STOT RE</i>	Specific target organ toxicity - repeated exposure
<i>STOT SE</i>	Specific target organ toxicity - single exposure
Disclaimer	<ul style="list-style-type: none"> The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Issue Date	<ul style="list-style-type: none"> Not available.
This Data Sheet Contains	<ul style="list-style-type: none"> Product and Company Identification: Synonyms changes from the previous Physical & Chemical Properties: Multiple Properties version in section(s): Transport Information: Material Transportation Information Regulatory Information.